

OUTDOOR DIGITAL TOTEM

Digital Displays | Digital Displays



OUTDOOR DIGITAL TOTEM


• Weatherproof digital advertising totem for outdoor use • IP56 outdoor classified screen with IK10 protective front glass panel • Cooling fans prevent overheating

DIGITALE OUTDOOR-STELE

• Wetterfeste digitale Infosteile für den Außeneinsatz • IP56 Wetterschutz zertifiziert mit Front aus IK10 Sicherheitsglas • Lüfter verhindern Überhitzung

OUTDOOR DIGITAL TOTEM

Digital Displays | Digital Displays



OUTDOOR DIGITAL TOTEM

Digital Displays | Digital Displays



Article code	EAN / GTIN	Inch	Transparent area	Frame thickness	Size (A x B x C)	Net weight
Artikelcode	EAN / GTIN	Zoll	Sichtfeld	Rahmenbreite	Größe (A x B x C)	Netto Gewicht
DIOTOTEM46ESF	8596052116032	46"	562 x 1008 mm	76 mm	743 x 2009 x 210 mm	129,5 kg
DIOTOTEM55ESF	8596052117749	55"	675 x 1200 mm	76 mm	853 x 2009 x 210 mm	146,1 kg

Article code	Packing size	Packing weight	Pcs / Pallet	Weight of pallet	Shipping
Artikelcode	Verpackungsgröße	Versandgewicht	Stck / Palette	Paletten-gewicht	Versandart
DIOTOTEM46ESF	800 x 2070 x 1200 mm	137,5 kg	1	158 kg	individual
DIOTOTEM55ESF	800 x 2070 x 1200 mm	154,1 kg	1	175 kg	individual

Screen specifications

Bildschirm Details

Screen supplier	Type	Diagonal size	Resolution	Brightness (cd/m ² , nit)	VESA	Dimensions	Response	Operations
Hersteller	Typ	Zoll	Auflösung	Helligkeit (cd/m ² , nit)	VESA	Abmessung	Reaktion	Leistung
Samsung	OH46F	46"	FHD 1920x1080	2500	1000x400	1069,0 x 623,6 x 85,0 mm	6 ms	24/7
Samsung	OH55F	55"	FHD 1920x1080	2500	1200x400	1260,6 x 731,4 x 85,0 mm	8 ms	24/7

IP56 Certified, Polarized Sun Glasses Viewable in any direction, Auto Brightness Control with Ambient Brightness Sensor, Temperature Sensor, Lockable
 IP56 Wetterschutz Zertifikat, 180° Betrachtungswinkel, Automatische Helligkeitsanpassung mittels Lichtsensoren, Temperatursensoren, Pivot Display, Abschließbar