


# PRODUCT SHEET

## ARCUATO® Poster Light Column

ILLUMINATED DISPLAYS > LIGHT BOXES & ILLUMINATED TOTEMS



### ARCUATO® Poster Light Column

Double sided freestanding curved light column, using snap profiles to the sides giving an easy exchange of posters. With silver EPC finish head and base plates the Arcuato totem offers a high impact, eye catching solution to carry your advertising message.


### Leuchtsäulen ARCUATO®

Doppelseitige, leicht gewölbte Standleuchtsäulen für die hinterleuchtete Plakatpräsentation. Ausgestattet mit der bewährten Klapprahmenteknik für den einfachen und schnellen Motivwechsel.

# PRODUCT SHEET

## ARCUATO® Poster Light Column

ILLUMINATED DISPLAYS > LIGHT BOXES & ILLUMINATED TOTEMS



# PRODUCT SHEET

## ARCUATO® Poster Light Column

ILLUMINATED DISPLAYS > LIGHT BOXES & ILLUMINATED TOTEMS

ARTICLE CODE	EAN / GTIN	POSTER SIZE	VISIBLE SIZE	SIZE (A x B x C)	NET WEIGHT	LIGHTNING
ARTIKELNUMMER	EAN / GTIN	PLAKATFORMAT	SICHTMAß	GRÖßE (A x B x C)	NETTO GEWICHT	LICHT
TL1xA1	8595578310580	A1 (594 x 841 mm)	574 x 841 mm	654 x 856 x 350 mm	17,64 kg	2 x 16 W
TL2xA1	8595578310597	2xA1 (594 x 1682 mm)	574 x 1682 mm	654 x 1697 x 350 mm	25,59 kg	1 x 58 W
TL2x70x100	8595578310603	700 x 2000 mm	680 x 2000 mm	760 x 2015 x 420 mm	34,97 kg	2 x 36 + 2 x 18 W
TL1xA1LED	8595578310610	A1 (594 x 841 mm)	574 x 841 mm	654 x 856 x 350 mm	14,84 kg	36 W
TL2xA1LED	8595578310627	2xA1 (594 x 1682 mm)	574 x 1682 mm	654 x 1697 x 350 mm	19,69 kg	36 W
TL2x70x100LED	8595578310634	700 x 2000 mm	680 x 2000 mm	760 x 2015 x 420 mm	25,89 kg	60 W

ARTICLE CODE	PACKING SIZE	PACKING WEIGHT	PCS / PALLET	WEIGHT OF PALLET	VOLUMETRIC WEIGHT	BELT SIZE	SHIPPING
ARTIKELNUMMER	PACKUNGS-GRÖßE	PACKUNGS-GEWICHT	STÜCK / PALETTE	PALETTE-GEWICHT	VOLUMEN-GEWICHT	GÜRTEL	VERSANDART
TL1xA1	672 x 882 x 362 mm	20,42 kg	6	148 kg	42,91 kg	2950 mm	TOF
TL2xA1	672 x 1722 x 362 mm	29,85 kg	3	115 kg	83,78 kg	3790 mm	Rieck
TL2x70x100	777 x 2042 x 432 mm	35,78 kg	1	61 kg	137,09 kg	4460 mm	Rieck
TL2xA1	672 x 882 x 362 mm	16,12 kg	6	122 kg	42,91 kg	2950 mm	TOF
TL2xA1	672 x 1722 x 362 mm	23,32 kg	3	95 kg	83,78 kg	3790 mm	Rieck
TL2x70x100	777 x 2042 x 432 mm	30,80 kg	1	56 kg	137,09 kg	4460 mm	Rieck